

HAMOTEK

UNITED COMPONENTS EUROPE



LINEARTECHNIK



Custom Slides Engineered For Your Application



**Custom
capabilities
and
innovative
designs
for
linear
motion
devices
in
automated
industrial
equipment.**



Engineered Linear Bearings



Modifications:


Del-Tron Precision performs modifications and develops prototype linear bearings quickly and cost effectively.

Through holes, dowel pins, special threads or locations, slots, and changes to height, width, length and travel are available to conform to whatever special need your application demands.

**Call our Engineering Staff for assistance
203-778-2727**

Integration:

Del-Tron's Linear bearing design is simple and adaptable. The hardened steel bearing components are manufactured separately from the aluminum base and carriage. Because of this we can integrate our base or carriage into your design producing a linear bearing that is part of the subassembly instead of a discrete component. This serves to reduce parts, fasteners and tolerance buildup, simplifying design and assembly.



Material and finishes:

Many slide materials and components can be changed to suit a particular situation. Balls, rollers, shafts and preload bars are available in 52100 type bearing steel, corrosion resistant 400 series stainless steel, or non-magnetic 300 series stainless steel. Different types and colors of anodized finishes are also available.

High temperature applications:

Del-Tron slides can be modified to operate in elevated temperature areas by the substitution of teflon, aluminum or brass retainers.

Vacuum applications:

Out-gassing of slide components can be reduced or eliminated for vacuum applications by eliminating anodized and oxidized finishes, labels, lubricants and non-metallic retainers.

Static sensitive applications:

Del-Tron's "ESD" electro less nickel-plated linear bearings are made to ASTM standard B 733-97. The plating allows static charges to dissipate.

**Call our Engineering Staff for assistance
203-778-2727**





Lead Screw Drives:

“Posi-Drive”™ lead screw driven stages. Lead screws are a popular actuation method. Del-Tron can add external or internal lead screw or ball screw drive components to most of its slides. Couplings and motor mounts are included. Hand crank actuation is available as well as a large variety of motor mounts, leads and pitches.

**Call our Engineering Staff for assistance
203-778-2727**



Micrometer Head Drives:

One, two or three axis spring loaded positioning stages with ball or crossed roller bearing elements are available with a variety of options. Among these are locking micrometer heads, carriage locks and digital micrometer heads. Micrometer head drives locate and measure accurately to 0.001” or 0.0001”. Ultra-Fine differential micrometer heads offer resolution of 0.002” per revolution, reduction up to 508 to 1.



Pneumatic Drives:

Friction free air actuators utilizing airpot™ pneumatic actuators are ultra low friction devices designed to provide precise, repeatable motion at very high or low speed without seals or lubrication. They run clean and operate over a wide temperature range with no change in performance. The PNRE series requires less than 10 PSI to operate.



**Call our Engineering Staff for assistance
203-778-2727**

HAMOTEK

UNITED COMPONENTS EUROPE

HAMOTEK Montagetechnik GmbH
Fürstenweg 1
D-83395 Freilassing

Tel. +49(0)8654/7709663
Fax +49(0)8654/7709662
office@hamotek.de
www.hamotek.de

HÄNDLERADRESSE